

**IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER  
FAILURE TO COMPLETE CORRECTIVE ACTIONS  
GAULEY RIVER PSD, WV3301042**

Our water system violated State drinking water requirement. Even though these were not emergencies, you, as our customers, have a right to know what happened and what we did to correct the situation (See table below).

*An on-site evaluation of our system is conducted on a regular basis. Results of the evaluation show significant deficiencies in our water system which must be addressed to the Office of Environmental Health Services-District Office. We did not correct these deficiencies by the required date and are therefore in violation.*

**What should I do?**

There is nothing you need to do at this time.

Required Corrective Action	Corrective Action Required by:
Failure to correct significant deficiencies <b>Deficiency:</b> OPR3 OPERATORS - The system has an improper number of certified water operators on staff to sufficiently operate the system	7/2/2023

**What happened? What is being done?** (Describe corrective action)

There has been limited funding for personnel due to loss of revenue. We purchase water from 2 water suppliers. Water loss, including line breaks, leaks, high pressure, customer leaks, as well as unpaid bills, bill adjustments create deficits in funding. There has also been an increase in operating & maintenance of the system.

\* We have 2 full time employees that are prepared to be certified when classes & testing becomes available. 2 new full time EE have been hired for the office.  
 1 part-time EE will be hired full time when he graduates.

For more information, please contact Gauley River PSD Dale Trueman at 681-230-2572  
(Contact Name) (Phone Number)

or PO Box 47 Swiss WV 26090 M-F 8-4  
(Mailing Address)

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

This notice is being sent to you by GAULEY RIVER PSD

State Water System ID# WV3301042

Date Distributed 11/29/23  
*Kellie A. Ellen*

**PUBLIC NOTICE CERTIFICATION**

TIER 2 - COMMUNITY AND NON-COMMUNITY WATER SYSTEMS

(Tier 2 public notification must be delivered within 30 Days from notification)

Public Water System: GAULEY RIVER PSD  
Public Water System ID#: WV3301042  
For Violation: FAILURE TO COMPLETE CORRECTIVE ACTIONS  
Beginning: 9/15/2023, 2023-81831

The public water system indicated above hereby affirms that public notice has been provided to consumers in accordance with the delivery, content and format requirements and deadlines required in 64 CSR § 3-10 and 64 CSR § 3-12.4. (Refer to Federal Safe Drinking Water Regulations 40 C.F.R. § 141.32)

**Public Notice requires two (2) methods of delivery**

**COMMUNITY SYSTEMS Must Use One of the Following:**

- Hand or direct delivery
- Mail as a separate notice or include with the bill

**And one (1) of the following**

- Notice distributed by \_\_\_\_\_ radio or \_\_\_\_\_ television station
  - Please submit the name of the radio/television station that distributed your public notice
- Notice distributed by \_\_\_\_\_ newspaper on \_\_\_\_\_
  - Please submit the name of the newspaper that distributed your public notice
  - Include a copy of your public notice that appeared in the newspaper with this certificate
- Notice distributed by www.gauleyriverpsd.myruralwater.com
  - Please submit any other means of mass distribution used (web site or social media address)

**NON-COMMUNITY SYSTEMS Must Use the Following**

- Posting in conspicuous locations (Non-Community systems only): Continue posting Public Notice until violation has been resolved, or for 7 days if the violation has been resolved.

**And one (1) of the following**

- Hand or direct delivery
- Mail as a separate notice or include with the pay stub
- Company Email
- Postings in multiple public places

Signature of Owner or Operator: Lozell Sumner

Date: 12/4/23

COMPLETE THIS FORM AND "IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER" SHEET

**SEND BOTH SHEETS TO:**

BUREAU FOR PUBLIC HEALTH  
Office of Environmental Health Services  
ATTN: COMPLIANCE & ENFORCEMENT  
350 Capitol Street, Room 313  
Charleston, West Virginia 25301-3713

**IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER**  
**FAILURE TO COMPLETE CORRECTIVE ACTIONS**  
 GAULEY RIVER PSD, WV3301042

Our water system violated State drinking water requirement. Even though these were not emergencies, you, as our customers, have a right to know what happened and what we did to correct the situation (See table below).

*An on-site evaluation of our system is conducted on a regular basis. Results of the evaluation show significant deficiencies in our water system which must be addressed to the Office of Environmental Health Services-District Office. We did not correct these deficiencies by the required date and are therefore in violation.*

**What should I do?**

There is nothing you need to do at this time.

Required Corrective Action	Corrective Action Required by:
Failure to correct significant deficiencies <b>Deficiency:</b> FSEC SECURITY; ST010 - LITTLE ELK STORAGE TANK The storage tank is not adequately secured <b>Deficiency:</b> FSEC SECURITY; ST002 - BELVA STORAGE TANK (STEEL) The storage tank is not adequately secured <b>Deficiency:</b> FSEC SECURITY; ST001- BELVA STORAGE TANK The storage tank is not adequately secured	9/2/2023

**What happened? What is being done? (Describe corrective action)**

Little Elk tank Storage area was damaged by theft; \* it has been repaired - Kae / DT

The Belva Storage tanks area has 2 tanks 1 is Steel ST002 one is not ST001, the tanks are enclosed by fencing. The fencing was damaged by falling trees.

\* We have Contractors providing bids to repair the fence. DT/Kae

For more information, please contact Gauley River PSD Dale Trummel 481-230-2572  
(Contact Name) (Phone Number)

or PO Box 47 Swiss WV 26190 M-F 8-4  
(Mailing Address)

*Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.*

This notice is being sent to you by GAULEY RIVER PSD

State Water System ID# WV3301042

Date Distributed 11/29/2023  
*Keelia Eller*

**PUBLIC NOTICE CERTIFICATION**

TIER 2 - COMMUNITY AND NON-COMMUNITY WATER SYSTEMS

(Tier 2 public notification must be delivered within **30 Days** from notification)

Public Water System: **GAULEY RIVER PSD**  
Public Water System ID#: **WV3301042**  
For Violation: **FAILURE TO COMPLETE CORRECTIVE ACTIONS**  
Beginning: **11/14/2023, 2024-81832, 81833, & 81834**

The public water system indicated above hereby affirms that public notice has been provided to consumers in accordance with the delivery, content and format requirements and deadlines required in 64 CSR § 3-10 and 64 CSR § 3-12.4. (Refer to Federal Safe Drinking Water Regulations 40 C.F.R. § 141.32)

**Public Notice requires two (2) methods of delivery**

**COMMUNITY SYSTEMS Must Use One of the Following:**

- Hand or direct delivery
- Mail as a separate notice or include with the bill

**And one (1) of the following**

- Notice distributed by \_\_\_\_\_ radio or \_\_\_\_\_ television station
  - Please submit the name of the radio/television station that distributed your public notice
- Notice distributed by \_\_\_\_\_ newspaper on \_\_\_\_\_
  - Please submit the name of the newspaper that distributed your public notice
  - Include a copy of your public notice that appeared in the newspaper with this certificate
- Notice distributed by WWW.gaulayriverpsd.myruralwater.com
  - Please submit any other means of mass distribution used (web site or social media address)

**NON-COMMUNITY SYSTEMS Must Use the Following**

- Posting in conspicuous locations (Non-Community systems only): Continue posting Public Notice until violation has been resolved, or for 7 days if the violation has been resolved.

**And one (1) of the following**

- Hand or direct delivery
- Mail as a separate notice or include with the pay stub
- Company Email
- Postings in multiple public places

Signature of Owner or Operator: Lowell Inuman Date: 12/4/23

COMPLETE THIS FORM AND "IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER" SHEET

**SEND BOTH SHEETS TO:**

BUREAU FOR PUBLIC HEALTH  
Office of Environmental Health Services  
ATTN: COMPLIANCE & ENFORCEMENT  
350 Capitol Street, Room 313  
Charleston, West Virginia 25301-3713

# IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

## Monitoring Reporting Requirements Not Met for Gauley River PSD WV3301042

Our water system violated drinking water monitoring requirements. Even though these were not emergencies, you, as our customers, have a right to know what happened and what we did to correct the situation.

*We are required to monitor your drinking water on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During periods listed in the table below, we did not monitor or test as required and therefore cannot be sure of the quality of our drinking water during that time.*

### What should I do?

At this time, there is nothing you need to do.

The table below lists the monitoring we did not conduct, other violations, and the associated compliance period.

Monitoring Violation	Year/ Fed Report #	Monitoring Frequency	Compliance Period
27, MONITORING, ROUTINE (DBP), MAJOR Failure to monitor for Haloacetic Acids (HAA5's)	2021-11346 2022-12143	Quarterly	04/01/2021-06/30/2021 01/01/2022-03/31/2022
36, MONITORING, RTN/RPT MAJOR, CHLORINE Missing Required Chlorine Residual Associated With a Bacteriological Sample	2019-81814	Monthly	05/01/2019-05/31/2019
WB, CHLORINE, Missing Res. Cl from Coliform Result	2019-81813	Monthly	05/01/2019-05/31/2019
52, ROUTINE TAP M/R (LCR) LEAD & COPPER RULE Required Lead & Copper Sample Results Not Submitted as Required	2021-81819	Triennially	01/01/2018-12/31/2020

### What happened? What is being done? (Describe corrective action)

*We routinely do 5 samples per month. We take additional samples when there is a line break, leak or a boil water advisory is issued. During the time period listed above, a specific residual was missing from the final report provided by a third party analytical testing lab, resulting in said violations.*

*\* Continue to sample + monitor water to provide SAFE, clean water to you. DT/Kae*

For more information, please contact Gauley River PSD Dale Truman at 681-230-2572  
(Contact Name) (Phone Number)

or PO Box 47 Swiss WV 26090 M-F 8-4.  
(Mailing Address)

*Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.*

Date Prepared: December 14, 2022

Date Distributed 11/29/2023  
*Kelli A. Eller*

**PUBLIC NOTICE CERTIFICATION**

TIER 3 - COMMUNITY AND NON-COMMUNITY WATER SYSTEMS  
(Tier 3 public notification must be delivered within 1 year of the template date)

Public Water System: Gauley River PSD  
Public Water System ID#: WV3301042  
PN Template Date: 12/14/2022  
For Violation: VARIOUS  
Violation Date: VARIOUS  
Monitoring Period: VARIOUS

The public water system indicated above hereby affirms that public notice has been provided to consumers in accordance with the delivery, content and format requirements and deadlines required in 64 CSR § 3-10 and 64 CSR § 3-12.4. (Refer to Federal Safe Drinking Water Regulations 40 C.F.R. § 141.32)

**Public Notice now requires two (2) methods of delivery**

**COMMUNITY SYSTEMS Must Use One of the Following**

- Hand or direct delivery
- Mail, as a separate notice or include with the bill

**And one (1) of the following**

- Notice distributed by \_\_\_\_\_ radio or \_\_\_\_\_ television station  
-Please submit the name of the radio/television station that distributed your public notice
- Notice distributed by \_\_\_\_\_ newspaper on \_\_\_\_\_  
-Please submit the name of the newspaper that distributed your public notice  
-Include a copy of your public notice that appeared in the newspaper with this certificate
- Notice distributed by www.gauleyriverpsd.myruralwater.com  
-Please submit any other means of distribution used (web site or social media)

**NON-COMMUNITY SYSTEMS Must Use the Following**

- Posting in conspicuous locations (Non-Community systems only): Continue posting Public Notice until violation has been resolved, or for 7 days if the violation had been resolved.

**And one (1) of the following**

- Hand or direct delivery
- Mail, as a separate notice or include with the pay stub
- Company Email
- Postings in multiple public places

Signature of Owner or Operator: \_\_\_\_\_

Truell Sumner

Date: \_\_\_\_\_

12/4/23

**COMPLETE THIS FORM AND "IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER" SHEET**

**SEND BOTH SHEETS TO:**  
BUREAU FOR PUBLIC HEALTH  
Office of Environmental Health Services  
ATTN: COMPLIANCE & ENFORCEMENT  
350 Capitol Street, Room 313  
Charleston, West Virginia 25301-3713

## 3301042\_Public Notices


From: Scott, Clayton L (clayton.l.scott@wv.gov)


To: gauleyriverpsd@yahoo.com


Date: Monday, November 27, 2023 at 10:40 AM EST

Hello. 3301042 needs to complete the attached public notices. The type 45 violations are Tier 2, which require that the public notice be distributed within 30 days. One of these has just been issued and needs to be completed by the due date. The other 2 attachments are already overdue, but should be completed as soon as possible and can be done in conjunction with the newest public notice, which is due by December 14. Please let me know if you have any questions. Thank you. -Clayton

Clayton Scott  
Regulatory Advisor  
Environmental Health Services  
Beckley District Office  
100 E. Prince Street  
Beckley, WV 25801  
681-205-3348 (m)  
304-256-6672 (f)  
304-256-6666 (o)  
[clayton.l.scott@wv.gov](mailto:clayton.l.scott@wv.gov)

 3301042 PN 12-2022.pdf  
103.7kB

 GWR 45\_3301042\_2023\_07.pdf  
430.6kB

 Type 45\_3301042\_2023\_09.pdf  
434kB